

# BVT01-YZT-3B trolley installation instructions

## Safety Warnings

To ensure the safety of the installers and operators, please strictly abide the following safety requirements.

1. To ensure that this product installed on the level ground, and lock the casters. Otherwise, the product may move and cause damage.
2. This product can only used to install the device specified models by Kaixin Company. Once installed other non-designated or recommended equipments, may result in over capacity of the trolley and cause damage.
3. Do not put any other non-specified things in the trolley; once dropped, may cause damage.

## Important Information

1. User shall be fully responsible for the maintenance and management of this product on purchasing the product.
2. Within warranty period, the Kaixin Company will not be responsible for the following situation:
  - (1) Damages due to improper operation or deliberate harm.
  - (2) Product losses induced by Force Majeure (like fire, earthquake, flood, lightning strike etc.).
  - (3) The Kaixin product not purchasing from Kaixin Company or designated distributors, in case of damage, Kaixin Company will not warranty.
3. Prohibit any unauthorized changes to this product.
4. Non-designated person by Kaixin Company re-modification, alteration or repair this product causing damage, Kaixin Company will not be responsible for any liability.
5. Deal with the exhausted product according to the local statute.
6. This installation instruction gives warnings for predictable dangers. Users shall also exercise care at any time to be aware of other dangers.
7. Kaixin shall not be responsible for the problems arising out of neglecting to follow the installation procedures and instructions herein described.
8. This installation instruction shall be furnished with the trolley so that operating and managerial personnel can refer to it any time as necessary.

## Components

After customers purchase trolley, unpack and check the followings whether the number of parts is complete (as Figure 1):

Part Name	Each component name	Qty
Foot assembly	Base	1 pc
	Casters	4 pcs
Pole assembly	Pole	1 pc
	Locking screw M5*24*10	1 pc
	Hex bolt M12*40	1 pc
	Large washer $\Phi 35*14.5*3$	1 pc
	Small washer $\Phi 23.5*13*2$	1 pc
	Spring washer $\Phi 12.5$	1 pc
	Pan head screws M6*12	2 pcs
Handle	Handle A	1 pc
	Handle B	1 pc
	Pan head screws M5*16	2 pcs

Basket assembly	Basket	1 pc
	Basket buckles	2 pcs
	Pan head screws M4*16	4 pcs
Tray		1 pc
Tray rack		1 pc
Cross screwdriver		1 pc
Desktop pen		1 pc
Wrenches		1 pc
Installation instructions		1 pc




Figure 1 BVT01-YZT-3B Trolley parts diagram

## Trolley Installation Steps

1. Unscrew the hex bolt at the bottom of the pole; respectively insert the spring washer, small washer, large washer and the bottom pole into the cone-shaped hole on the base, and then use a wrench to screw the hex bolt into the bottom of the pole and fix the pole and the base.
2. Adjust the upper part of the pole to a suitable height, fastening the locking screw. The basket buckle A is installed to the basket according to Figure 2, and then the basket buckle B is fixed on the upper of the pole, with a cross screwdriver use four M4\*16 pan head screws to fix the basket buckle A and B; then use two M5\*16 pan head screws to fasten the handle on the upper of the pole (Height can be adjusted to a suitable position according to the user needs).




Figure 2

3. According to the Figure 3, use two M6\*12 pan head screws to fix the tray on the top of the pole.



Figure 3

4. At last the machine is inserted into the corresponding position of the tray.

