

**LED minor surgical lamp**  
**DELTA Q10**



PROVIDE LIGHTING SOLUTIONS FOR  
ALL CLINICAL AREAS, MEDICAL PRACTICES AND LABORATORIES

HIGHEST DEMANDS FOR MEDICAL LIGHTS



Ph: 1300 009 663 Fax: 1300 099 300  
Email: [info@zonemedical.com.au](mailto:info@zonemedical.com.au)  
7/22 Mavis Court, Yatala, Qld, 4207  
[www.zonemedical.com.au](http://www.zonemedical.com.au)



**DELTA Q10**

**The expert of medical lights**

**56 Years of medical experience**

Thanks to the Minston unique design with modern lighting technology, **Delta Q10** ensures optimal surgery conditions

**LED**

IR-free technology from LED light source reduces the sensation of heat for the patient and doctor

LED service life 40 times longer than Halogen bulb

**Smart Energy Saving**

Low energy consumption : 1/3 less than conventional Halogen system

Tissue do not dry up as rapidly during the intervention under very low radiation from the light


Provides "daylight" illumination for truer tissue color rendition and easier diagnosis and treatment.

Color temperature can be adjusted for optimal contrast sensitivity



American LED light source with Fresnel Lenses' application has completely improved the light illumination and spot effects. This greatly meets the demand of medical application and help the surgeon diagnostic in high efficiency.

The Fresnel lens is a special optical lens and are commonly used on spotlights. After using this len, the spot light illumination has risen about 3-4 times than before.



Touch sensitive brightness control & Color temperature adjustment



360degree turnover-axis for maximum lighting



Spring balanced friction joint effortless positioning and locking & inner transformer



Bigger and detachable mobile base easy for carrying



## LED minor surgical lamp **DELTA Q10**

Light intensity:	68000lx(D=60cm) 46000lx(D=100cm)
Diameter of lamphead:	26cm
Color temperature:	4000-5000K control by touch sensitive
Brightness adjustment:	control by touch sensitive
Light field diameter:	20cm at D=100cm
Light source:	10 LEDs
LED average life:	50000 hours
Power consumption:	12W
Input Voltage:	110V-265V 50/60Hz
Available configuration:	Mobile, Wall, Table clamp
Color:	White

Standard: Mobile type

Optional:

Upper part with lamphead  
Vertical roll tube  
Mobile base with five castors

Wall bracket mounted, table clamp type



Ph: 1300 009 663 Fax: 1300 099 300  
Email: [info@zonemedical.com.au](mailto:info@zonemedical.com.au)  
7/22 Mavis Court, Yatala, Qld, 4207  
[www.zonemedical.com.au](http://www.zonemedical.com.au)